

Date(s) of Inspection: <b>3/13/24</b>	TV <input type="checkbox"/> SM <input type="checkbox"/> NM <input type="checkbox"/>	PA <input type="checkbox"/> GP <input type="checkbox"/> MEGA <input type="checkbox"/>	Permit #(s): _____	Expiration Date: _____	Case #: _____	PF ID #: <b>868000</b>
Company Name: <b>Kingdom Provisions</b>			Municipality: <b>Plumstead Twp</b>		County: <b>Bucks</b>	
Plant Name: <b>Same as above</b>			Physical Location: <b>Same as below</b>		Federal ID — Plant Code #:	
Responsible Official: <b>Ephraim Sholtz fus</b>				Mailing Address: <b>5960 Durham Rd. Pipersville, PA 18947</b>		
Title: <b>Owner</b>						
Phone #(s): <b>267-914-7430</b>						

**Mark (X) All Inspection Types That Apply To This Inspection:**

<input type="checkbox"/> Full Compliance Evaluation (FCE)	<input type="checkbox"/> Plan Approval Inspection	<input type="checkbox"/> File Review (FR)
<input type="checkbox"/> Operating Permit Inspection (PI)	<input type="checkbox"/> Initial Permit Inspection (IPI)	<input checked="" type="checkbox"/> Complaint Inspection (CI)
<input type="checkbox"/> Routine/Partial (RTPT)	<input type="checkbox"/> Follow-Up Inspection (Ref. Date: _____)	<input type="checkbox"/> Sample Collection (SC)
<input type="checkbox"/> Minor Source(s) Inspection (RFD)	<input type="checkbox"/> Stack Test Observation	<input type="checkbox"/> Multi-Media Inspection (MM)
<input type="checkbox"/> Other:	<input type="checkbox"/> Announced	

Annual Compliance Certification Received: <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A	Date Received:
AIMS Report Received: <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A	Date Received:

**Mark (X) All Activities That Apply:**

<input type="checkbox"/> File Review	<input checked="" type="checkbox"/> Pre-Inspection Briefing	<input checked="" type="checkbox"/> Exit Interview/Briefing
<input checked="" type="checkbox"/> Pre-Inspection Observations	<input type="checkbox"/> Check For New/Unreported Sources	<input type="checkbox"/> Sample(s) Collected
<input type="checkbox"/> Visible Emissions Observations	<input type="checkbox"/> Verify Operation of CEMS	<input type="checkbox"/> Other

**Comments/Recommendations:** Enforcement since last FCE  Yes  No (If yes, attach summary)

**I arrived on site at 1:25 PM to conduct an odor complaint inspection. I met with Amber and Brent Pressley who showed me to the back of the property. I noted slight rendering odors next to the rendering bins, some of which were not fully closed/sealed. Ms. Pressley said they were being picked up today. I request that they be completely closed going forward. The odors appeared to only be present in that immediate area. We then walked to the fields where the mineral/wash water/blood is spread and filled deeply into the ground. I noted no odors in the field area. Mr. Pressley said that MDPAC is currently ~~not~~ down**

Compliance Status:  In  Out  Pending  Awaiting Co. Report

Needs a Follow-Up Inspection?  Yes  No

Company Representative: <b>Amber Pressley</b>	Title: <b>Plant manager</b>	Signature: <i>Amber Pressley</i>	Date: <b>3/13/24</b>
DEP Representative: <b>Jennifer Ramo-Buschmann</b>	Title: <b>AO Specialist</b>	Signature: <i>Jennifer Ramo-Buschmann</i>	Date/Time: <b>3/13/24 2:15 PM</b>

This document is official notification that a representative of the Department of Environmental Protection, Air Quality Program, inspected the identified site. The findings of this inspection are shown above and on any attached pages, and may include violations uncovered during the inspection. Violations may also be discovered upon review of sample results or from any additional review of Department records. Notification will be forthcoming, if such violations are noted.



# INSPECTION REPORT

Continued until Monday

Commonwealth of Pennsylvania  
Department of Environmental Protection  
Air Quality Program

and not picking up rendering wastes so he is taking the waste  
 offsite to be composted / disposed of elsewhere in Lancaster  
 which they regularly do on Tuesdays and ~~Wednesdays~~ Thursdays  
 since MOPAC normally comes on Mondays, Wednesdays, and  
 Fridays. I will touch base with the DEP waste program  
 regarding spreading the washwater in the three fields.  
 The Dumpsters were moved to the front of the property  
 since they only put regular trash (no hides) in them now.  
 Winds were WSW at 7 mph and it was 69°F and mostly  
 sunny at the time of inspection.

Company -- plant name:

Kingdom Divisions

Initials of representative interviewed:

AD

Date:

3/13/24

Page 2 of 2

Reviewed By \_\_\_\_\_

White - Site

Yellow - District Office

Pink - Regional Office



Photos 1 and 2 – Rendering bins, some of which were not fully closed/sealed  
Taken by Jennifer Ramos-Buschmann on 3/13/24, 1:40 PM and 1:51 PM



Photos 3 and 4 – Two of three fields where FPR (Food Processing Residual: mineral/wash water/blood) is spread and tilled deeply into the ground

Taken by Jennifer Ramos-Buschmann on 3/13/24, 1:43 PM and 1:51 PM