| 2700-FM-BAQ0023 2/2015 pennsylvania peparment of Environmental perforection | | | N REPORT | | Commonwealth of Pennsylvania Department of Environmental Protection Air Quality Program | | | |
|--|-----------------------------|----------------------------------|---|-------------------------|---|-----------------------------|-------------------|--|
| Date(s) of Inspection: TV PA PA | | Permit #(s): | Expiratio | n Date: | Case | | ID#: | |
| Company Name: | | Municipality: | | | Cour | | 368000 | |
| Kingdom Provisions Plumstead | | | | | Bucks Federal ID — Plant Code #: | | | |
| 1 | | 5ame as | below | | reae | ederario — Franc Code #. | | |
| Responsible Official: | | | Mailing Address: | | | | | |
| Brent Pressley | | | 5960 Durham Rd. | | | | | |
| | | | 5960 Durham Rd. Pipersville, PA 18947 | | | | | |
| OWN er Phone #(s): 215-767-8943 | | |) (2) | | | | | |
| Mark (X) All Inspection Types That Apply To This Inspection: | | | | | | | | |
| Full Compliance Evaluation (FCE) | Compliance Evaluation (FCE) | | | | | File Review (FR) | | |
| Operating Permit Inspection (PI) | | Initial Permit Inspection | ion (IPI) | | | Complaint Inspection (CI) | | |
| Routine/Partial (RTPT) | | Follow-Up Inspection (| ow-Up Inspection (Ref. Date:) | | | Sample Collection (SC) | | |
| Minor Source(s) Inspection (RFD) | | Stack Test Observation | | | | Multi-Media Inspection (MM) | | |
| Other: | | Announced | | | | | | |
| Annual Compliance Certification Received: YES NO X N/A | | | | Date Received: | | | | |
| AIMS Report Received: YES NO N/A | | | | Date Received: | | | | |
| Mark (X) All Activities That Apply: | | | | | | | | |
| File Review | 対 | Pre-Inspection Briefing | | Exit Interview/Briefing | | | | |
| Pre-Inspection Observations | | Check For New/Unreported Sources | | | | Sample(s) Collected | | |
| Visible Emissions Observations | | Verify Operation of CEMS | | | |] Other | | |
| Comments/Recommendations: Alex Yamell, Margaret Thompson, Ashley Davis, and amived on Site at 3:25 PM to conduct the Goor complaint Mspection. We met with Brent Pressley briefly. We conducted over Survillence along Durham RI. and noted burning and rendering type odors which we to determined to be objectionable. We then conducted additional odor Survillence along Durham Rd. and continued to Smell the paperty. We then conducted additional odor Survillence along Durham Rd. and continued to Smell the odors offsite. We then returned to the Facility at 3:55 PM at Mr. Pressley's Invitation. | | | | | | | | |
| Compliance Status: | | | Report Needs a Follow-Up Inspection? Yes No | | | | | |
| Company Representative. | Title | d-a | | Signature: | | | Date: | |
| DEP Representative: Title: Signature: Date/Time: Jenn/fev Komb-Bischman Ad-Spetialist This document is official notification that a representative of the Department of Environmental Protection, Air Quality Program, inspected the identified site. The findings of this inspection are shown above and on any attached pages, and may include violations uncovered during the inspection. Violations may also be discovered upon review of sample results or from any additional review of Department records. Notification will be forthcoming, if such violations are noted. | | | | | | | | |
| Page of eFacts Inspec | ction | 1D#: <u>3584193</u> | Date: | 7/13/23 | _ R | leviewed By | | |
| ☐ White – Regional Office | | | Yellow – | Site | | ☐ Pink | – District Office | |